

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 35] NEW DELHI, SATURDAY, SEPTEMBER 6, 1958/BHADRA 15, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th August, 1958

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Andhra Pradesh																Madras—contd.															
"N.R."																Madurai	10						
Assam																Ramanathapuram	6	3							
Cachar	1	Tirunelveli	11	3													
Goalpara.	1	North Arcot	13	3														
Kamrup	1	Salem	41	13														
TOTAL	3	Coimbatore	30	3														
Total for w/e 2-8-58	26	4	The Nilgiris	3	1														
Total for w/e 26-7-58	10	3	Kanya Kumari	4	2														
Bihar								TOTAL	.	5	..	327	93														
"N.R."								Total for w/e 2-8-58	1	1	263	59														
Bombay								Total for w/e 26-7-58	2	1	296	74													
"N.R."								Manipur																							
Delhi								TOTAL													
"N.R."								Total for w/e 2-8-58	..	.	2	1													
Himachal Pradesh								Total for w/e 26-7-58	..	.	1													
"N.R."								Mysore																							
Kerala								"N.R."																							
Trivandrum								2	1												
Kottayam.								2												
Trichur								19	7												
Malabar								35	7													
TOTAL								58	15												
Total for w/e 2-8-58								39	16												
Total for w/e 26-7-58								42	16												
Madhya Pradesh																Orissa															
"N.R."																Cuttack	2					
Madras																Balasore	.	.	3	2	1					
Madras City	.	.	5	..	101	32	Puri	.	.	8	3	6													
Chingleput	25	5	Sambalpur	70	20														
South Arcot	60	19	Baudh	9	3														
Tiruchirappalli	13	5	Ganjam	.	.	28	13	40	12														
Tanjore	10	4	Koraput	.	.	2	1	92	30														
TOTAL								233	133	285	105														
Total for w/e 2-8-58								312	173	470	166													
Total for w/e 26-7-58								208	120	18	207													

Explanation of Symbols used:—C. = Cases ; D = Deaths; . = Nil ; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th August, 1958—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Pondicherry								Total for India (Excluding Andhra Pradesh, Bihar, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, Mysore, Punjab Rajasthan, Tripura and West Bengal)							
TOTAL	4	2	245	136	755	246		
Total for w/e 2-8-58	10	5		319	175	898	318		
Total for w/e 26-7-58	3	2		213	122	1,015	371		
Punjab								Corresponding							
N.R."								Total for w/e 2-8-58							
Rajasthan								Corresponding							
"N.R."								Total for w/e 26-7-58							
Tripura								ARREAR INFORMATION							
"N.R."								Madhya Pradesh							
Uttar Pradesh								w/e 26-7-58							
								Betul . . . 7 5 2							
Agra	2	1		Bilaspur . . . 47 33 19							
Azamgarh	14	4		Chhindwara . . . 15 5 15 3							
Ballia	2		Durg 33 5							
Bijnor	8	2		Sagar 62 19 2							
Bulandshahr	3		Rajgarh 19 10							
Deoria	4 3	6 3		Rajpur 73 31							
Dehra Dun	1		Shahdol 10 3 15 4							
Erawah	3	2		Damoh 14 9							
Faizabad	2	2		Mandla 8 6 27 3							
Ghazipur	2		Narsinghpur 4							
Gorakhpur	3		Ratlam 8							
Aligarh	1		Rewa 1							
Hardoi	1	1		Mandsaur 5 4							
Jaunpur	2	2		Seoni 2 2							
Kanpur	2	1		Bartar 5 1							
Kheri	1		TOTAL . . . 255 107 138 37							
Lucknow	2 6	1		w/e. 2-8-58							
Mathura	3	2		Mandla 7 3 3							
Nainital	6	3		Narsinghpur 1							
Pratapgarh	6	2		Seoni 7							
Rae Bareilly	1 2	1		Betul 19 4							
Moradabad	3 3		Bilaspur 6 3							
TOTAL	7 3	78 31		Durg 81 40							
Total for w/e 2-8-58	6	1	88	67		Sagar 13 6							
Total for w/e 26-7-58	3	1	145	69		Shahdol 10 6							
								TOTAL . . . 136 62 11 .. .							
West Bengal								Manipur							
"N.R."								TOTAL 1							
Explanation of Symbols used:--C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.															

Reported attacks and deaths from cholera smallpox plague and typhus in districts in India during the week ending the 9th August, 1958—*concl'd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh								Andhra Pradesh—<i>cont'd.</i>							
Srikakulam	.	.	17	9	35	19	..	Warangal	.	.	7	4
Visakhapatnam	.	.	31	16	21	6	..	Karimnagar	16	6	..
East Godavari	.	.	8	6	10	2	..	Adilabad	.	.	3	1
West Godavari	.	.	1	2	22	3	..	Nizamabad	.	.	3	1
Krishna	.	.	12	11	18	5	..	Nalgonda	.	.	49	18
Guntur	34	1	..	Mahbubnagar	2	2	..
Nellore	32	6	..	Hyderabad	2
Kurnool	.	.	4	3	31	9	..	TOTAL	.	.	138	74	315	85	..
Cuddapah	32	12	..	REMARKS							
Anantapur	.	.	3	3	45	8	..	<i>Cholera</i> :—Kalahandi district of Orissa State reported epidemic conditions of the disease.							
Chittoor	15	6	..	<i>Smallpox</i> :—Heavy incidence of the disease was reported from the districts of Koraput and Sambalpur of Orissa State and the City of Madras.							

Explanation of Symbols used:—C.—Cases ; D.—Deaths ; .. — Nil.

NEW DELHI-2 (INDIA);

The 1st September, 1958

}

H. R. SHARMA,

for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958

Town	Mid-year Popn. Est (000)	B.	BR.*	Deaths from :—							Total	D.R*.	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh				"N.R."										
Assam														
Gauhati	58	21	18.8	4	2	2	..	19	17.0	3	
Shillong†				1	1.0	..	
Dibrugarh	54	3	2.9	1	1.0	..	
Silchar	57	4	3.6	2	1	1	1	7	6.4	3	
TOTAL	169	28	8.6	6	3	3	1	27	8.3	6	
Bihar														
Arrah	74	2	1.4	..	2	1	6	4.2	..	
Bettiah	40	4	5.2	1	8	10.4	..	
Bhagalpur	133	14	5.5	3	8	3.1	..	
Bihar Chapra†	70	16	11.9	3	4	3.0	..	
Darbhanga†				
Dhanbad	48	9	9.7	4	4.3	..	
Dinapur	45	3	3.5	3	3.5	..	
Gaya	159	30	9.8	20	11	5	..	58	19.0	..	
Hazaribagh	42	9	11.1	4	5.0	..	
Jamalpur	48	4	4.3	1	1.1	..	
Jamshedpur	266	128	25.0	2	6	..	24	4.7	7	
Katihar	60	25	21.7	1	5	4.3	1	
Monghyr†				
Muzaffarpur	92	40	22.6	7	3	22	12.4	..	
Patna	371	61	8.5	1	31	4.3	..	
Ranchi	157	22	7.3	5	18	6.0	6	
TOTAL	1,605	367	11.9	..	2	..	41	17	11	..	196	6.4	14	
Bombay				"N.R."										
Delhi				"N.R."										
Kerala														
Alleppey	195	54	14.4	21	5.6	3	
Changanacherry	44	26	30.7	1	10	11.8	..	
Kottayam	55	49	46.3	1	5	4.7	..	
Ernakulam	77	64	43.2	1	15	10.1	1	
Mattancherry	94	21	11.6	20	11.1	3	
Quilon	82	2	1.3	1	19	62	39.3	3	
Trichur	80	87	56.6	10	6.5	..	
Trivandrum	247	243	51.2	6	1.3	..	
Kozhikode	187	198	55.1	7	7	4	1	93	25.9	20	
Palghat	82	55	34.9	4	1	16	10.2	..	
Cannanore	49	48	50.9	4	2	18	19.1	2	
Tellicherry	43	50	60.5	2	2	4	..	17	20.5	4	
Cochin†														
TOTAL	1,235	897	37.8	21	28	8	4	283	11.9	36	
Madhya Pradesh				"N.R."										
Madras														
Ambur	48	32	34.7	1	1	6	6.5	..	
Arrupukottai	62	36	30.2	2	2	1	..	12	10.1	4	
Bodinayakanur	43	24	29.0	2	1	..	6	7.3	2	
Chidambaram	43	51	61.7	1	1	3	2	18	21.8	4	
Coimbatore	267	280	54.5	18	13	2	97	18.9	21	
Cuddalore	76	107	73.2	1	2	2	..	24	16.4	5	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C. Cholera; S.—Smallpox; P.—Plague; F. — Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); .. —Nil Information; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras—contd.													
Dindigul	100	40	20.8	1	2	1	..	12	6.2	..
Erode	77	34	23.0	2	4	..	12	8.1	1
Gobichettipalayam	48	10	10.8	1	..	1	1.1	..
Gudiyattam	58	39	35.0	4	1	..	10	9.0	5
Kancheepuram	93	101	56.5	..	1	..	6	9	37	20.7	12
Karaikudi	47	26	28.8	1	..	8	8.9	2
Karur	57	33	30.1	1	1	1	..	10	9.1	1
Kumbakonam	115	89	40.2	..	1	..	2	5	3	..	49	22.2	8
Madras City	2,011	826	21.4	..	33	..	55	123	180	4	623	16.1	184
Madurai	488	339	36.1	..	3	..	8	5	18	1	117	12.5	26
Mayuram	53	50	49.1	1	11	10.8	3
Maliapalayam	43	15	18.1	2	6	7.3	3
Nagapattinam	62	58	48.6	2	1	4	1	19	15.9	9
Nagercoil	109	31	14.8	..	7	..	3	16	7.6	1
Ootacamund	53	45	44.2	6	..	16	15.7	4
Palni	44	29	34.3	3	..	9	10.6	2
Palayamkottai	48	47	50.9	1	1	3	..	12	13.0	2
Periyakulam	35	27	40.1	1	..	6	8.9	1
Pollachi	60	35	30.3	1	4	..	13	11.3	3
Pudukottai	54	43	41.4	2	..	1	1	22	21.2	4
Rajapalayam	74	64	45.0	2	3	5	..	21	14.8	8
Salem	279	133	24.8	3	6	9	1	57	10.6	5
Srirangam	46	48	54.3	2	2	11	12.4	1
Srivilliputtur†													
Tanjore	133	92	36.0	1	2	1	..	23	9.0	6
Tiruchirappalli	276	129	24.3	1	2	7	1	50	9.4	4
Tirunelveli	84	66	40.9	2	4	3	..	28	17.3	5
Tiruppur	73	53	37.8	1	1	3	..	12	8.5	..
Tiruvannamalai	47	36	39.8	1	..	8	8.9	1
Tuticorin	121	68	29.2	3	2	7	..	23	9.9	7
Vaniyambadi	45	18	20.8	2	1	8	9.2	4
Vellore	141	117	43.1	2	1	11	..	42	15.5	11
Villapuram	42	48	59.4	1	3	1	10	10	12.4	5
Virudhunagar	57	41	37.4	1	3	1	..	15	13.7	1
TOTAL	5,612	3,460	32.1	..	45	..	103	211	302	15	1,480	13.7	365
Mysore													
Bangalore	1,246	667	27.8	3	31	41	..	244	10.2	3
Mysore	347	29	4.3	15	6	3	..	63	9.4	..
Kolar Gold Fields	180	130	37.6	4	1	6	1	30	8.7	1
Bellary	83	103	64.5	1	7	4	..	32	20.0	3
Davangere†													
Shimoga	68	36	27.5	5	3	8	6.1	..
Bhadravati†													
Hospet†													
Tumkur	51	16	16.3	1	1	1.0	..
Kolar†													
Chitaldrug	37	1	1.4	3	4.2	..
Hassan†													
Bidar†													
Gulbarga†													
Raichur†													
Bijapur†													
Belgaum	110	61	28.8	2	2	1	..	32	15.1	2
Dharwar	85	31	19.0	1	1	2	..	17	10.4	..
Bagalkot	39	35	46.7	4	14	18.7	..
Mangalore	153	72	24.5	1	..	1	..	14	4.8	2
Gadag-Betegere	73	55	46.7	4	14	18.7	..
Hubli†													
TOTAL	2,472	1,236	26.0	41	48	58	4	472	9.9	11

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Orissa															
Behrampur	81	50	32.1	4	3	4	2	..	20	12.8	4		
Cuttack	129	85	34.3	..	3	..	7	7	4	..	44	17.7	17		
Puri	56	47	43.6	..	1	..	11	18	1	..	50	46.4	18		
TOTAL	266	182	35.6	4	4	..	21	29	7	..	114	22.3	39		
Pondicherry															
	68	88	67.2	5	1	3	..	18	13.7	5		
Punjab															
Ambala	62	58	48.8	5	2	..	12	10.1	5		
Amritsar	359	187	27.2	2	4	28	..	92	13.4	29		
Batala	66	27	21.3	10	..	2	..	15	11.8	5		
Bhliwani	59	77	68.0	5	1	2	..	13	11.5	2		
Ferozepore	47	38	42.2	2	1	1	..	7	7.8	1		
Hissar	41	48	61.1	1	7	1	2	..	11	14.0	2		
Hoshiarpur	54	23	22.2	1	4	1	8	7.7	2		
Jullundhar	230	144	32.6	18	4	1	..	30	6.8	7		
Karnal	83	43	27.0	4	2	10	6.3	..		
Ludhiana	194	176	47.3	5	1	11	..	20	5.4	13		
Moga	45	44	51.0	3	..	1	..	7	8.1	7		
Panipat	72	40	29.0	5	..	1	4	10	7.2	..		
Pathankot	36	38	55.1	3	..	5	7.2	1		
Rewari	40	30	39.1	1	2	1	..	7	9.1	1		
Rohtak†															
Simla	53	43	42.3	7	6.9	3		
Sonepat†															
Bhatinda	45	14	16.2	4	6	7.0	2		
Malerkotla	35	29	43.2	5	6	8.9	..		
Patiala	125	89	37.1	20	3	2	1	46	19.2	19		
TOTAL	1,646	1,148	36.3	2	95	23	57	7	312	9.9	99		
Rajasthan															
Jaipur†															
Ajmer	244	121	26.0	..	1	..	8	5	5	..	41	8.7	7		
Jodhpur†															
Udaipur	121	3	1.2	1	3	1.2	..		
Bikaner†															
Kotah	83	17	10.6	..	1	..	5	1	2	..	15	9.3	4		
Beawar†															
Ganganagar	65	8	6.4	1	..	5	4.0	..		
Alwar	61	44	37.5	2	1	6	5.1	1		
Sikar†															
Churu†															
Tonk†															
Bharatpur†															
TOTAL	574	193	17.5	..	2	..	15	8	8	..	70	6.3	12		
Uttar Pradesh															
Agra	404	235	30.3	7	4	45	..	92	11.9	23		
Allahabad †															
Amroha	61	90	76.9	8	3	2	..	35	29.8	18		
Bahraich	49	22	23.4	1	3	3.2	1		
Banaras	416	395	49.5	45	10	15	..	202	25.3	50		
Banda†															
Bareilly	206	63	15.9	12	1	4	..	22	5.6	12		
Basti†															
Ballia†															

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							M.D.	Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.					
Uttar Pradesh—contd.														
Bijnor†														
Budaun	55	40	37.9	..	1	..	5	..	2	12	11.4	5
Bulandshahr†														
Chandauli	44	61	72.3	10	3	2	27	32.0	12
Dehra Dun	186	66	18.5	3	2	7	22	6.2	11
Etawah	65	70	56.1	8	1	4	25	20.0	10
Faizabad-Ayodhya†														
Farukhabad-Fatehgarh†														
Perozabad	93	65	36.4	5	12	6.7	3
Ghazipur	35	26	38.6	8	1	1	10	14.9	2
Ghaziabad	68	34	26.1	7	13	10.0	4
Gonda	35	8	11.9	1	1	4	5.9	1
Gorakhpur	150	86	29.9	6	4	3	23	8.0	2
Hapur	65	58	46.5	11	..	4	20	16.0	8
Hardwar	73	40	28.6	14	2	3	30	21.4	8
Hathras	65	72	57.7	14	3	2	33	26.5	17
Jaunpur	59	35	30.9	..	2	..	5	..	3	15	13.2	1
Jhansi	132	97	38.3	21	1	2	35	13.8	9
Kanpur	810	367	23.6	128	25	82	4	..	325	20.9	209
Kasganj	34	6	9.2	2	3	4.6	2
Khurja	41	26	33.1	3	..	1	6	7.6	1
Koll-Aligarh	167	56	17.5	12	4	3	32	10.0	7
Lucknow	525	225	22.3	..	1	..	42	14	13	122	12.1	28
Mathura	118	138	60.9	..	2	..	11	..	2	22	9.7	6
Mau-Nath Bhanjan	39	46	61.5	3	4	16	21.4	4
Mewat	198	78	20.5	..	2	..	10	..	2	18	4.7	5
Mirzapur Vindhyachal	100	50	26.1	7	1	1	18	9.4	10
Moradabad	165	130	41.1	11	3	9	35	11.1	13
Muzaffarnagar	81	22	14.2	8	2	1	20	12.9	3
Pilibhit†														
Rampur†														
Saharanpur	178	132	38.7	38	..	1	47	13.8	19
Sambhal†														
Sitapur†														
Shahjahanpur	112	151	70.3	25	2	2	39	18.1	9
TOTAL	4,839	2,990	32.1	..	8	..	489	92	217	4	..	1,338	14.4	513

West Bengal

"N. R."

ARREAR INFORMATION

Jammu and Kashmir

w/e 4-1-58

Srinagar	249	151	31.5	4	..	4	1	..	33	6.9	8
w/e 11-1-58														
—do—	—do—	155	32.4	7	..	12	48	10.0	6
w/e 18-1-58														
—do—	—do—	156	32.6	2	..	8	24	5.0	2
w/e 25-1-58														
—do—	—do—	141	29.4	3	..	11	1	..	48	10.0	4
w/e 1-2-58														
—do—	—do—	115	24.0	4	18	3.7	9
w/e 8-2-58														
—do—	—do—	123	25.7	6	15	3.1	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox, P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Jammu and Kashmir—<i>contd.</i>													
<i>w/e 15-2-58</i>													
Srinagar	249	129	26.9	4	..	10	..	30	6.2	2
<i>w/e 22-2-58</i>													
—do—	—do—	91	19.0	2	..	8	..	22	4.6	1
<i>w/e 1-3-58</i>													
—do—	—do—	128	26.7	6	..	17	3.6	5
<i>w/e 8-3-58</i>													
—do—	—do—	120	25.0	1	..	6	..	23	4.8	4
<i>w/e 15-3-58</i>													
—do—	—do—	157	23.8	1	..	9	..	20	4.2	3
<i>w/e 22-3-58</i>													
—do—	—do—	153	32.1	1	..	6	1	24	5.0	1
<i>w/e 29-3-58</i>													
—do—	—do—	130	27.1	7	2	18	3.7	1
<i>w/e 5-4-58</i>													
—do—	—do—	168	35.1	1	1	17	3.6	..
<i>w/e 12-4-58</i>													
—do—	—do—	154	32.2	5	..	19	3.9	1
<i>w/e 19-4-58</i>													
—do—	—do—	132	27.6	1	4	..	8	1.7	1
<i>w/e 26-4-58</i>													
—do—	—do—	163	34.0	3	..	6	1.2	..
Supplementary Figures													
<i>w/e 16-7-58</i>													
Cuttack	129	153	61.7	..	6	..	8	6	5	..	57	23.0	6
Assam													
<i>w/e 26-7-1958</i>													
Gauhati	58	19	17.0	3	1	2	1	19	17.0	2
Shillong†			
Dibrugarh	54	7	6.7
Silchar†	57	10	9.1	2	5	1	..	13	12.5	1
TOTAL	169	36	11.1	5	6	3	1	32	9.8	3
Bihar													
<i>w/s 2-8-1958</i>													
Arrah	74	9	6.3	1	1	..	3	1	..	1	9	6.3	..
Bettiah†				4	7	2.7	..
Bhagalpur	133	19	7.4	4	7	2.7	..
Bihar	70	28	20.8	8	1	12	8.9	..
Chapra†				4	10	5.3	..
Darbhanga	98	20	10.6	4	10	5.3	..
Dhanbad	48	12	13.0	1	1	1	..	6	6.5	..
Dinapur	45	2	2.3	2	4	4.6	..
Gaya	159	76	24.9	17	8	6	..	54	17.7	..
Hazaribagh	42	15	18.6	..	1	7	8.7	1
Jamalpur	48	3	3.2	1	4	4.3	..
Jamshedpur	266	140	27.4	1	..	6	..	24	4.7	13
Katihar	60	20	17.3	4	1	7	6.1	2
Monghyr†				7	26	14.7	..
Muzaffarpur	92	29	16.4	7	26	14.7	..
Patna	371	55	7.7	..	1	1	20	2.8	..
Ranchi	157	37	12.3	12	2	27	8.9	6
TOTAL	1,663	465	14.5	1	3	..	64	13	13	3	217	6.8	22

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 9th August, 1958—*contd.*

Towns	Mid-year Popn. Est. (ooo)	Deaths from :—											D.R.*	I.D.
		B.	B. R.*	C.	S.	P.	F.	D.D.†	R.D.	M.D.	Total			
		w/e 28-6-58												
Andhra Pradesh														
Adoni†														
Anantpur	42	28	34.7	1	2	1	3	19	23.6	4	
Anakapalli†														
Bhimavaram	41	19	2.4	1	1	7	8.8	1	
Chirala	48	30	32.5	8	12	13.0	5	
Chittoor†														
Cuddapah	46	14	15.9	1	..	2	..	4	4.6	1	
Ellore	108	53	59.9	..	1	..	4	..	2	..	29	32.8	7	
Guntur	168	158	49.0	..	4	..	18	4	14	1	105	32.6	6	
Gudtakal	43	31	37.5	4	3	1	..	12	14.6	1	
Kakinada†														
Kurnool	74	62	43.6	3	3	1	..	35	24.7	7	
Masulipatnam	95	68	37.2	3	..	1	..	21	11.5	7	
Nandyal	40	18	23.4	2	1	1	..	5	6.5	1	
Nellore	107	103	50.1	9	6	2	3	40	19.5	10	
Proddutur	46	39	34.1	1	..	1	..	11	12.5	1	
Rajahmundry	137	94	35.8	3	..	2	..	26	9.9	4	
Tenali	76	74	50.7	4	16	11.0	7	
Vijayawada†														
Visakhapatnam	148	86	32.2	..	5	..	8	4	10	..	41	14.4	15	
Vizianagaram	81	37	23.8	4	2	1	..	19	12.2	5	
Hyderabad	1,291	601	24.1	..	1	..	8	1	11	..	88	3.6	9	
Warrangal	173	63	19.0	..	1	..	8	1	2	..	29	8.8	..	
Nizamabad	81	11	7.1	1	1	3	2.0	1	
Kothagudiam	80	27	17.6	6	3.9	..	
Secunderabad	192	173	46.9	..	1	..	4	..	12	..	40	10.9	8	
TOTAL	3,117	1,789	29.8	..	13	..	95	29	64	7	568	9.5	100	
		w/e 5-7-58												
Adoni	72	46	33.2	1	10	7.2	2	
Anantpur	42	29	36.0	1	3	3.8	..	
Anakapalli	51	49	50.0	1	16	16.3	5	
Bhimavaram	41	22	27.9	1	7	8.9	1	
Chirala	48	28	30.3	6	12	13.0	3	
Chittoor†														
Cuddapah	46	28	31.6	1	11	12.4	..	
Ellore	108	51	24.5	5	..	3	2	31	15.0	2	
Gudivada	40	28	36.4	3	2	9	11.7	4	
Guntur	168	135	41.8	..	1	..	4	4	4	4	52	16.1	7	
Guntakal	43	24	29.0	4	1	2	..	16	19.3	2	
Kakinada	123	46	19.5	12	3	3	..	41	17.3	..	
Kurnool	74	49	34.5	4	..	20	14.1	..	
Masulipatnam	95	38	20.8	4	..	1	..	23	12.6	1	
Nandyal	40	25	32.5	..	1	3	..	14	18.2	2	
Nellore	107	104	50.5	4	5	3	..	48	23.3	6	
Proddutur	46	34	38.4	1	..	4	..	13	14.7	2	
Rajahmundry	137	94	35.7	..	1	..	2	1	3	..	22	8.4	5	
Tenali	76	40	27.4	1	1	1	1	10	6.8	2	
Vijayawada	253	126	26.0	12	3	9	1	52	10.8	13	
Visakhapatnam	148	136	47.8	..	3	..	12	11	19	..	67	23.5	6	
Vizianagaram	81	43	27.7	..	1	..	6	1	1	..	26	16.7	6	
Hyderabad	1,291	352	14.1	1	4	..	16	1	18	..	143	5.7	4	
Warrangal	173	102	30.7	4	1	20	6.0	..	
Nizamabad	81	9	5.8	1	1	0.6	..	
Kothagudiam†														
Secunderabad	192	151	41.0	1	1	6	..	23	6.2	4	
TOTAL	3,575	1,789	26.0	1	11	..	100	39	86	8	690	10.0	77	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh				w./e. 12-7-1958										
Adoni	72	48	34.7	1	2	1	..	11	8.0	4	
Anantpur	42	14	17.4	2	2	14	17.4	6	
Anakapalli	51	28	28.6	3	..	17	17.4	4	
Bhimavaram	41	50	63.4	1	1	7	8.9	2	
Chirala†	
Chittoor†	
Cuddapah	46	21	23.8	1	..	1	7	8.0	..	
Ellore	108	51	24.6	6	..	2	1	27	13.0	5	
Gudivada	40	33	42.9	3	12	15.6	1	
Guntur	168	165	51.2	..	2	..	4	5	10	1	62	19.2	15	
Guntakal	43	14	16.0	1	1	5	6.0	2	
Kakinada	123	48	70.3	5	2	1	..	27	11.4	10	
Kurnool	74	64	45.0	4	1	6	..	30	21.1	5	
Masulipatnam	95	56	30.7	4	..	2	..	19	10.4	5	
Nandyal	40	32	41.6	3	..	2	2	26	33.8	5	
Nellore	107	106	51.5	6	3	6	1	55	26.7	15	
Proddutur	46	22	24.9	1	..	2	..	9	10.2	1	
Rajahmundry	137	43	16.3	4	18	6.8	5	
Tenali	76	54	37.0	1	1	16	11.0	4	
Vijayawada	253	166	34.2	7	5	4	1	72	14.9	18	
Visakhapatnam	148	84	29.5	..	4	..	11	14	22	..	69	24.2	7	
Vizilangaram	81	44	28.2	2	4	2	..	31	20.0	8	
Hyderabad	1,291	145	5.8	..	3	..	17	3	11	..	96	3.4	8	
Warrangal†	
Nizamabad	81	10	6.4	2	2	1.2	1	
Kothagudiam†	
Secunderabad	192	171	46.3	..	1	..	4	3	8	..	45	12.2	15	
TOTAL	3,354	1,469	22.8	..	11	..	88	47	83	8	678	10.5	146	
w./e. 19-7-1958														
Adoni†	
Anantpur	42	16	19.9	3	1	10	12.4	1	
Anakapalli	51	47	47.9	1	17	17.3	6	
Bhimavaram	41	20	25.4	1	1	..	8	10.1	..	
Chirala†	
Chittoor†	
Cuddapah	46	34	38.4	7	7.9	..	
Ellore	108	40	19.2	5	..	4	..	24	11.5	2	
Gudivada	40	45	58.5	1	1	3	3.9	1	
Guntur	168	71	22.0	1	..	3	..	41	12.7	9	
Guntakal	43	18	21.8	1	2	2	..	8	9.7	2	
Kakinada†	
Kurnool	74	70	49.2	2	3	..	19	13.4	7	
Masulipatnam	95	52	28.4	3	26	14.2	2	
Nandyal	40	28	36.4	..	1	..	2	1	1	1	9	11.7	4	
Nellore	107	83	40.3	7	10	6	..	70	34.0	6	
Proddutur	46	25	28.2	2	..	1	..	9	10.2	4	
Rajahmundry	137	102	38.8	..	1	..	3	..	1	..	20	7.6	5	
Tenali	76	68	46.5	3	..	19	13.0	4	
Vijayawada	253	131	27.0	..	1	..	14	2	4	..	64	13.2	24	
Visakhapatnam	148	72	25.3	..	3	..	14	16	21	..	83	29.1	17	
Viziangaram	81	45	28.9	2	5	5	4	1	34	21.8	7	
Hyderabad	1,291	308	12.3	..	1	..	25	5	13	1	150	6.0	22	
Warrangal	173	53	16.0	2	..	1	..	15	4.5	..	
Nizamabad	81	12	7.4	2	3	2.0	..	
Kothagudiam†	
Secunderabad	192	167	45.3	..	1	..	1	..	5	1	39	10.6	13	
TOTAL	3,332	1,407	22.0	2	8	..	89	45	73	5	678	10.6	136	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil, "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from							Total	*D.R.	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Andhra Pradesh													
W/e 26th July 1958													
Adoni	72	42	30.3	2	..	1	9	6.5	1
Anantapur	42	42	42.8	2	2	1	..	18	18.3	5
Anakapalli	51	21	26.0	3	..	2	..	10	12.4	1
Bhimavaram	41	38	48.2	3	1	9	11.4	1
Chirala	48	22	23.6	5	1	15	16.2	4
Chittoor†													
Cuddapah	46	72	81.4	5	1	12	13.6	..
Ellore	108	60	28.9	4	..	5	1	27	13.0	5
Gudivada	40	19	24.9	1	1	9	11.7	1
Guntur	168	274	85.0	6	8	6	..	78	24.2	15
Guntakal	43	25	30.2	3	5	2	..	15	18.1	2
Kakinada†													
Kurnool	74	67	47.1	1	3	2	..	35	24.6	5
Masulipatam	95	57	31.2	1	5	21	11.5	5
Nandyal	40	32	41.6	2	3	2	..	11	14.3	1
Nellore	107*	80	38.8	5	4	6	..	50	24.3	18
Proddutur†													
Rajahmundry	137	86	32.7	3	4	1	..	27	10.3	8
Tenali	76	51	34.9	1	..	1	..	12	8.2	3
Vijayawada	253	166	34.2	7	5	7	..	57	11.7	13
Visakhapatam	148	97	34.0	..	1	..	9	9	17	..	56	19.7	21
Viziangaram	81	54	24.7	3	9	2	5	..	48	30.8	5
Hyderabad	1,291	755	30.2	21	6	14	..	101	4.0	9
Warrangal	173	68	20.5	9	1	2	..	24	7.2	..
Nizamabad	81	11	7.0	1	3	4	2.6	1
Kothagudiam†													
Secunderabad	192	174	47.2	4	1	9	..	44	12.0	13
TOTAL	3,407	2,313	35.3	4	1	..	102	62	87	4	692	10.6	137
Bombay													
W/e 19th April 1958.													
Ahmedabad	970	465	24.9	..	1	..	53	21	134	..	430	23.1	133
Ahmednagar	108	54	26.0	2	3	9	..	44	21.2	..
Amalner	54	12	11.6	9	..	2	..	16	15.4	2
Baroda	266	170	33.2	..	1	..	26	3	13	2	99	19.4	18
Barsi	48	28	30.3	6	18	19.5	..
Bhusawal	73	30	21.4	..	1	..	8	..	1	..	15	10.7	4
Broach	68	35	26.8	5	..	15	..	27	20.6	2
Cambay	42	32	39.6	..	7	..	5	1	1	..	30	27.1	7
Chalisgaon†													
Dhulia	101	33	17.0	..	1	..	12	..	3	..	22	11.3	4
Godhra	41	47	59.6	5	1	16	20.3	2
Greater Bombay	4,117	1,399	28.8	..	37	..	4	37	161	1	851	10.7	167
Jalgaon	88	186	109.9	..	9	..	15	..	4	..	58	24.3	16
Kalyan	93	35	19.6	..	2	..	1	2	2	..	11	6.2	..
Kolhapur	181	66	10.0	7	2	1	..	58	16.7	13
Malgaon	74	33	23.2	47	..	4	..	53	37.4	10
Miraj	47	7	7.8	1	1.1	..
Nadiad	78	42	28.0	10	..	5	..	35	23.3	11
Nandurbar	38	17	23.3	3	9	12.3	1
Nasik	151	49	16.9	..	4	..	8	4	6	..	54	18.6	14
Narsari	52	34	34.0	8	..	1	1	15	9.2	3
Pandharpur	47	33	36.5	3	2	3	..	17	18.8	6
Patna	49	38	40.3	..	2	..	5	..	3	2	20	21.2	5
Poona	717	217	17.1	..	1	..	3	1	22	..	111	8.2	30
Sangli	66	36	28.4	..	2	..	2	..	1	..	11	8.6	3
Satara	43	22	26.6	1	2	4	..	15	18.1	1
Sholapur	325	150	24	10	5	28	..	101	16.1	18

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths);..=Nil;

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid-year popn. Est. (000)	B.	DEATHS FROM								Total	D.R.*	I.D.	
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Surat	270	152	29.3	25	8	16	1	107	20.6	27	
Thana	73	48	34.2	2	1	16	11.4	2	
Bhavnagar	171	43	13.1	..	2	..	9	6	4	..	218	14.6	11	
Dhoraji	49	16	16.9	9	11	11.7	3	
Gondal	43	23	27.8	4	10	12.0	..	
Junagarh	66	36	25.3	..	1	..	7	2	1	..	26	20.6	4	
Morvi	44	16	18.9	..	1	..	1	2	2.4	2	
Porbander	68	24	18.4	..	1	..	5	4	3	..	25	19.1	..	
Jam Nagar	138	17	6.3	7	1	1	1	19	7.9	4	
Rajkot	217	64	15.3	10	3	9	1	41	9.8	16	
Veraval	50	8	8.3	2	2	2.1	..	
Surendranagar	52	13	13.1	8	11	11.0	..	
Nagpur	602	193	16.7	..	2	..	56	5	24	2	260	22.4	57	
Achalpur	39	15	20.0	4	2	9	12.0	4	
Akola†														
Chanda	45	17	15.2	4	..	2	..	15	15.1	2	
Gondia	56	30	27.9	..	2	..	3	1	6	5.6	3	
Hinganghat	37	21	29.5	6	9	12.8	2	
Khamgaon	47	19	21.0	5	9	9.9	..	
Wardha	51	28	28.4	4	1	2	..	7	7.1	..	
Yeotmal	45	33	38.1	..	2	..	9	1	1	..	22	25.4	..	
Kamptee	40	13	16.9	..	21	..	3	..	4	..	32	41.6	9	
Amravati	111	72	33.7	3	1	..	5	48	22.5	3	
Aurangabad	81	8	5.1	..	1	1	..	7	4.0	..	
Lathur	46	11	12.4	1	..	3	..	5	5.7	..	
Nanded	98	8	4.2	2	2	..	2	..	15	4.9	..	
Parbhani	46	4	4.5	..	3	..	3	..	3	..	9	10.2	..	
Jalna	80	5	3.25	1	..	1	0.6	..	
TOTAL	10,602	4,127	20.2	2	104	..	450	119	500	17	2,909	14.3	619	

w/e. 26-4-58

Ahmedabad	970	469	25.1	..	1	..	43	20	130	..	435	23.3	147
Ahmednagar	108	38	18.3	2	5	19	..	33	15.9	..
Amalner	54	23	22.2	..	1	..	12	19	18.3	6
Baroda	266	139	27.1	24	3	17	1	102	19.9	26
Barsi	48	21	22.8	13	11	1	1	24	26.0	7
Bhusawal	73	24	19.8	..	4	..	9	..	1	..	18	12.8	3
Broach	68	31	23.7	15	..	8	..	28	21.6	4
Cambay	42	30	37.1	..	1	..	3	..	1	..	15	18.6	3
Chalisgaon	38	17	23.3	..	4	..	2	..	1	..	11	5.1	3
Dhulia	101	30	15.4	..	2	..	12	..	1	..	25	12.9	11
Godhra	41	29	36.8	..	1	..	5	..	1	..	11	13.9	1
Greater Bombay	4117	1245	16.7	..	29	..	7	41	140	1	753	9.5	177
Jalgaon	88	10	5.9	..	2	..	13	2	28	16.5	6
Kalyan	93	25	14.9	2	1	3	..	10	5.6	3
Kolhapur	181	102	29.3	3	21	6.0	2
Malegaon	74	40	28.1	38	1	3	..	46	32.3	2
Miraj	47	2	2.2	3	2	..	14	15.5	3
Nadiad	78	38	25.3	12	..	3	..	34	22.4	10
Nandurbar	38	18	24.6	3	..	1	..	13	17.8	5
Nasik	151	53	18.3	..	3	..	14	1	4	..	35	12.1	7
Narsari	52	21	21.0	6	10	10.0	2
Pandharpur	47	27	29.8	5	2	6	1	19	21.0	8
Patna	49	39	41.4	3	3	8	1	18	19.1	3
Poona	717	265	19.2	..	2	..	1	2	29	..	114	8.3	25

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used ; —B.=Births ; B.R.=Births Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..= Nil. Information.

Births and deaths from principal diseases in towns with a population of 30000 and over in India for the week ending the 9th August, 1958—*contd.*

Town	Mid.-yr. popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Sangli	66	25	19.7	..	2	..	4	17	13.4	6
Satara	43	30	36.3	..	1	..	1	..	1	..	9	10.9	..
Sholapur	325	148	23.7	11	7	30	1	99	15.9	27
Surat	270	144	27.7	36	5	20	..	117	22.5	29
Thana†													
Bhavnagar	171	25	7.6	..	5	..	14	1	1	..	34	10.3	7
Dhoraji	49	25	26.5	6	..	1	..	9	9.5	3
Jamnagar	138	19	7.2	3	3	15	5.7	4
Junagarh	66	28	22.1	12	1	6	1	33	26.0	11
Morvi	44	5	5.9	..	1	..	1	4	4.7	2
Porbander	68	9	6.9	..	1	..	7	..	1	..	17	13.0	..
Gondal	43	21	25.4	4	9	10.9	..
Rajkot	217	67	16.1	10	5	9	..	43	10.3	16
Veraval	50	5	5.2	..	1	..	2	8	8.4	2
Surendranagar	52	25	25.0	1	5	5.0	..
Nagpur	602	165	14.3	42	..	26	1	230	19.9	57
Achalpur	39	15	20.0	6	1	1	..	8	10.7	..
Akola†													
Chanda	45	27	25.4	5	1	1	..	13	15.0	1
Gondia	56	19	17.6	..	4	..	7	..	2	..	14	13.0	2
Hinganghat	37	24	33.7	6	13	18.3	4
Khamgaon†													
Wardha*													
Yeotmal	45	16	18.5	..	1	..	2	3	4	..	18	20.8	..
Kamptee	40	7	9.1	..	13	..	1	14	18.2	5
Amravati	111	49	22.9	10	3	3	3	36	16.9	4
Aurangabad	81	9	5.8	2	..	1	..	6	3.9	..
Lathur	46	8	9.0	2	..	2	2.5	..
Nanded	98	21	11.1	31	5	38	20.3	..
Parbhani	46	5	5.7	1	..	1	..	4	4.5	..
Jalna†													
TOTAL	10,389	3,672	18.4	31	79	..	440	118	479	14	2,651	13.3	644
<i>w/e. 3-5-58.</i>													
Ahmedabad	970	541	28.9	..	1	..	43	20	140	..	535	28.7	180
Ahmednagar	108	41	19.5	1	8	..	30	23.7	..
Amalner	54	14	13.5	15	..	2	..	21	20.7	2
Baroda	266	50	26.7	37	3	23	2	118	23.0	36
Barsi	48	2	2.3	1	10	10.8	1
Bhusawal	73	7	4.9	3	5	3.6	..
Broach†													
Cambay	42	27	33.4	..	4	..	2	..	5	..	21	26.0	6
Chalisgaon	38	12	16.4	8	..	1	..	13	17.9	5
Dhulia	101	52	16.8	..	2	..	15	..	3	1	40	20.6	13
Godhra	41	34	43.1	..	1	..	8	15	19.0	..
Greater Bombay	4,117	1,498	18.8	..	25	..	7	44	108	3	788	9.9	198
Jalgaon	88	28	16.5	..	1	..	8	..	1	3	17	10.0	3
Kalyan	93	23	12.9	1	1	3	..	11	6.2	5
Kolhapur	181	94	26.9	1	2	1	..	24	6.9	2
Malangaon†													
Miraj	47	49	54.2	1	7	..	15	16.6	1
Nadiad	78	34	27.7	12	..	1	..	24	16.0	10
Nandurbar	38	22	30.1	1	..	1	..	10	13.7	5
Nasik	151	60	20.7	..	3	..	8	2	5	..	36	12.4	8
Narsari	52	19	19.0	5	7	7.0	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil; Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid-yr. popn. Est. (00)	B.	B.R.*	Deaths from								Total	D.R.*	I.D.
				C.	S.	P.	F.	DD.	R.D.	M.D.				
Bombay—contd.														
Pandharpur	47	24	26.6	1	3	4	..	14	15.5	5	
Patan	49	33	35.0	8	..	6	..	35	37.1	14	
Poona	717	332	24.1	2	22	..	87	6.3	18	
Sangli	66	33	26.0	1	10	7.9	3	
Satara	43	20	24.7	2	1	1	..	9	10.9	..	
Sholapur	325	175	28.0	16	5	25	..	94	15.00	20	
Surat	270	154	29.7	..	3	..	33	9	30	..	162	31.2	47	
Thana	73	15	10.7	1	4	2.8	..	
Bhavnagar	171	97	29.3	..	3	..	23	6	7	..	76	23.1	20	
Dhoraji	49	20	21.2	9	13	13.8	5	
Jamnagar	138	9	3.4	3	1	1	..	7	2.7	2	
Junagarh	66	27	21.3	..	2	..	12	1	1	..	21	16.5	4	
Morvi	44	17	20.1	..	2	..	1	5	5.9	2	
Porbander	68	33	24.9	..	1	..	11	..	2	1	23	17.6	6	
Gondal	43	33	39.9	3	1	7	8.5	..	
Rajkot	217	100	23.9	..	1	..	14	2	12	..	46	9.7	..	
Veraval	50	6	6.2	2	..	1	..	7	7.3	1	
Surendranagar	52	8	8.0	14	..	1	..	18	18.0	..	
Nagpur	602	235	20.3	..	2	..	72	5	23	3	334	28.9	89	
Achalpur	39	7	9.3	2	4	5.3	..	
Akola	110	121	57.2	..	5	..	21	1	5	..	47	22.2	15	
Chanda	45	25	28.9	..	1	..	4	..	5	..	20	23.1	2	
Gondia	56	21	17.7	..	2	..	10	..	3	1	16	14.9	2	
Hinganghat	37	27	37.9	5	11	15.5	3	
Khamgaon	47	38	42.0	6	..	1	..	12	13.3	2	
Wardha	51	31	31.6	8	..	1	..	14	14.3	4	
Yeotmal	45	31	35.8	..	1	..	5	3	1	..	15	17.3	..	
Kamptee †														
Amravati	111	94	44.1	9	3	5	1	41	23.3	7	
Aurangabad	81	7	4.5	1	..	6	3.9	1	
Lathur	46	10	11.3	1	1	3	3.4	1	
Nanded	98	25	13.3	4	1	..	1	..	8	4.2	..	
Parbhani	46	5	5.7	1	..	1	..	4	4.5	..	
Jalna	80	41	26.7	1	..	6	..	23	15.0	..	
TOTAL	10,568	4,561	22.4	5	60	..	474	117	470	16	1,794	14.4	769	
w/a. 10-5-58														
Ahmedabad	970	520	27.9	..	1	..	34	11	89	..	299	16.0	87	
Ahmednagar	108	56	27.0	2	..	4	1	19	9.1	..	
Amalner	54	11	10.6	10	..	1	..	14	13.5	1	
Baroch	266	160	31.3	38	3	9	1	98	19.2	4	
Barsi	48	23	24.9	6	1	20	21.7	3	
Bhusawal	73	20	14.2	12	..	2	..	15	10.7	4	
Broach	68	49	37.5	15	..	5	..	22	16.8	6	
Cambay	42	20	24.8	..	3	..	2	..	3	..	23	28.5	5	
Chalisgaon	38	15	20.5	..	2	..	9	1	17	23.3	4	
Dhulia	101	42	21.6	..	3	..	16	..	3	..	29	14.9	7	
Godhra	41	39	49.5	..	1	..	5	..	1	..	10	12.7	4	
Greater Bombay	4117	1140	14.4	..	27	..	11	28	156	2	745	9.4	175	
Jalgaon	88	12	7.1	14	..	4	1	27	16.0	6	
Kalyan	93	33	18.5	1	..	5	..	8	4.5	..	
Kolhapur	181	99	28.4	4	1	43	12.4	6	
Malegaon†														
Miraj	47	46	50.9	1	2	3	..	26	28.8	2	
Nadiad	78	47	31.3	16	1	32	21.3	2	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates ; may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Birth ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I. D. = Infantile Deaths (included in total deaths) .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid-yr. popn. Est (000)	B.	B.R.*	Deaths from								Total	D.R.*	I.D.
				C.	S.	P.	F.	DD.	R.D.	M.D.				
Bombay—contd.														
Nandurbar	38	16	21.9	3	1	13	17.8	4	
Nasik	151	64	22.0	8	1	2	..	31	10.7	..	
Narsari	52	36	36.0	3	..	1	..	7	7.0	1	
Pandharpur	47	26	28.8	1	1	5	..	13	14.4	1	
Patan	49	28	29.7	9	2	1	1	22	23.3	3	
Poona	717	255	18.5	1	5	31	..	112	8.1	32	
Sangli	66	12	9.5	..	1	..	4	..	2	..	15	11.8	4	
Satara	43	29	35.1	1	..	3	..	24	29.0	1	
Sholapur	325	17	27.4	2	5	40	..	14	15.0	11	
Surat	270	142	27.3	..	1	..	25	8	23	1	122	23.5	38	
Thana	73	28	19.9	2	2	16	11.4	4	
Bhavnagar	171	50	15.2	..	1	..	17	1	10	..	63	19.2	16	
Dhoraji	49	12	12.7	3	4	4.2	1	
Jamnagar †	
Junagarh	66	29	22.8	5	1	1	1	20	15.8	2	
Morvi	44	17	20.1	..	1	5	5.9	1	
Porbander	68	6	4.6	..	1	..	7	..	2	..	16	12.2	6	
Gondal	43	19	23.0	5	1	13	18.1	..	
Rajkot	217	94	22.5	14	6	7	..	58	13.9	18	
Veraval	50	12	12.5	..	1	5	5.2	1	
Surendranagar	52	13	13.0	4	7	7.0	..	
Nagpur	602	348	30.1	..	1	..	51	3	16	1	227	19.6	53	
Achalpur	39	1	1.3	2	1	1	1	8	10.7	1	
Akola†	
Ghanda†	
Gondia	56	23	21.4	..	1	..	6	..	1	..	8	7.5	..	
Hinganghat	37	24	33.7	6	11	15.5	4	
Khamgaon	47	23	25.4	5	8	8.9	..	
Wardha	51	7	7.1	1	..	6	6.1	3	
Yeotmal	45	26	30.0	7	2	1	..	18	20.8	..	
Kamptee	40	14	18.2	..	13	..	3	..	1	..	17	22.1	5	
Amravati†	
Aurangabad	81	12	7.07	2	..	3	2	12	7.7	..	
Lathur	46	9	10.2	3	..	4	..	8	9.0	..	
Nanded	98	20	10.6	1	..	6	3.2	..	
Parbhani	46	5	5.7	3	..	3	..	8	9.0	..	
Jalna†	
TOTAL	10,192	3,939	20.1	..	58	..	398	85	445	15	1,443	12.5	546	
w/e. 17-5-58														
Ahmedabad	970	597	32.0	22	12	102	..	322	17.3	90	
Ahmednagar	108	48	23.1	3	1	3	..	26	12.5	..	
Amalner	54	31	29.9	10	..	2	..	22	21.2	..	
Baroda	266	189	36.9	27	1	12	1	82	16.0	20	
Barsi	48	35	37.9	11	..	2	..	22	23.8	9	
Bhusawal	73	33	23.5	8	11	7.8	3	
Broach	68	56	42.8	7	..	6	..	15	11.5	1	
Cambay	42	25	31.0	1	..	3	3.7	1	
Chalisgaon	38	19	26.0	..	1	..	4	1	8	10.9	1	
Dhulia	101	30	15.4	9	..	1	1	19	9.8	1	
Godhra	41	39	41.5	6	11	14.0	2	
Greater Bombay	4117	1363	17.2	..	23	..	6	34	126	2	223	9.1	73	
Jalgaon	88	97	52.3	7	..	4	..	13	7.7	1	
Kalyan	93	27	15.1	1	..	2	..	9	5.0	3	
Kolhapur	181	105	30.2	2	1	1	..	27	7.8	6	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid-year, Popn.-Est. (000)	Deaths from											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay—Contd.														
Malegaon†														
Miraj	47	44	48·7	1	2	4	..	17	18·8	5	
Nadiad	78	37	24·7	16	..	1	..	22	14·7	3	
Nandurbar	38	19	26·0	1	..	2	..	9	12·3	1	
Nasik	151	81	27·9	8	..	2	..	26	9·0	6	
Narsari	52	31	31·0	5	7	7·0	4	
Pandharpur	47	21	23·7	4	2	3	..	12	13·3	3	
Patna	49	25	26·5	1	3	6	..	16	17·0	3	
Poona	717	277	20·1	4	23	..	101	7·3	30	
Sangli	66	37	29·2	..	1	..	4	..	3	..	16	12·6	..	
Satara	43	37	44·7	1	..	1	..	9	10·4	..	
Sholapur	325	220	35·7	11	4	39	..	104	16·6	30	
Surat	270	175	33·7	26	4	14	1	104	20·0	29	
Thana	73	35	24·9	1	13	9·3	1	
Bhavnagar	171	40	12·2	..	1	..	7	2	7	..	61	18·5	15	
Dhoraji	49	23	24·4	3	..	4	..	8	8·5	2	
Jamnagar†														
Junagarh	66	31	24·4	19	..	1	1	32	25·2	9	
Morvi	44	15	17·7	4	4·7	2	
Porbander	68	23	17·6	..	1	..	2	2	3	..	15	11·5	7	
Gondal	43	15	18·1	3	4	4·8	..	
Rajkot	217	86	20·6	..	1	..	9	4	5	..	34	8·1	10	
Veraval	50	4	4·2	3	..	2	..	10	10·4	1	
Surendranagar	52	12	12·0	2	4	4·0	..	
Nagpur	602	229	19·8	..	34	..	103	4	44	3	481	41·5	136	
Achalpur	39	16	21·3	9	..	3	1	17	22·7	6	
Akola	110	56	26·5	..	2	..	25	4	6	..	53	25·1	17	
Chanda	45	17	19·6	17	2	1	..	21	24·3	7	
Gondia	56	10	9·3	..	2	..	8	1	12	11·1	5	
Hinganghat	37	22	30·9	4	10	14·1	3	
Khamgaon	47	31	34·3	..	1	..	10	15	16·6	1	
Wardha	51	15	52·0	2	5	5·1	2	
Yeotmal	45	18	20·8	5	1	1	1	21	24·3	..	
Kamptee	40	19	24·7	..	14	..	8	24	31·2	9	
Amravati	111	66	30·9	..	1	..	19	1	4	1	53	24·8	12	
Aurangabad	81	8	5·1	1	1	4	2·6	..	
Lathur	46	12	13·6	..	1	..	1	..	2	1	5	5·7	..	
Nanded	98	15	8·0	..	1	..	2	2	2	..	17	9·0	..	
Parbhani	46	4	4·5	2	..	1	..	5	5·7	..	
Jalna	80	6	4·0	1	..	1	..	3	1·9	..	
TOTAL	10,538	4,476	22·1	..	84	..	467	92	447	14	2,687	13·3	670	
w/c 31-5-58.														
Ahmedabad	970	512	27·4	32	16	96	..	382	20·3	127	
Ahmednagar	108	68	32·7	5	1	8	..	36	17·3	..	
Amalner	54	11	10·6	10	..	4	..	18	17·3	4	
Baroda	266	188	36·8	44	3	19	3	122	23·8	27	
Barsi	48	28	30·3	9	..	1	2	19	20·6	3	
Bhusawal	73	17	12·1	5	10	7·1	..	
Broach	68	58	44·4	13	..	3	..	27	20·6	7	
Cambay	42	22	27·2	..	1	2	1	..	14	17·3	5	
Chalisgaon	38	16	21·9	..	2	..	7	1	14	19·2	6	
Dhulia	101	44	22·7	1	19	..	3	..	27	13·9	7	
Godhra	41	27	34·2	7	2	1	..	12	16·0	1	
Jalgaon	88	24	14·2	15	..	8	..	30	17·7	5	

*In cases of town where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Birth ; B.R. = Birth Rate ; C. = Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Disease ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .. = Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid-yr. popn-Est. (000)	B.	B.R.*	Deaths from :—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Bombay—contd.																
Kalyan	93	34	19.0	4	2	4	..	19	10.6	6			
Kolhapur	181	114	32.8	3	..	1	..	22	6.3	8			
G. Bombay																
Malegaon	74	39	27.4	46	4	..	49	6	7	..	125	87.8	9			
Miraj	47	29	35.1	2	..	14	15.5	1			
Nadiad	78	48	32.0	16	..	3	..	26	17.3	9			
Nandurbar	38	27	36.9	6	..	1	..	13	17.8	3			
Nasik	151	76	27.2	20	3	3	..	54	18.6	10			
Narsari	52	31	31.0	12	20	12.0	6			
Pandharpur	47	23	25.4	3	1	4	..	18	19.9	6			
Patna	49	27	28.6	6	1	4	..	15	15.9	2			
Poona	717	308	22.3	6	20	1	107	7.8	30			
Sangli	66	27	21.3	3	..	2	..	15	11.8	3			
Satara	43	24	29.0	2	1	1	..	17	20.6	3			
Sholapur	325	204	32.6	10	6	25	..	81	13.0	13			
Surat	270	162	31.2	..	1	..	21	11	31	..	141	27.2	53			
Thana	73	33	23.5	..	2	..	2	10	7.1	3			
Bhavnagar	171	49	14.9	10	2	9	..	48	14.6	19			
Dhoraji	49	19	20.2	3	1	7	7.4	1			
Jamnagar †																
Junagarh	66	38	29.9	7	2	4	1	18	14.2	6			
Morvi	44	22	26.0	1	..	2	2.4	..			
Porbander	68	20	15.3	10	2	1	..	15	11.5	1			
Gondal	43	23	27.8	..	2	..	6	..	2	..	18	21.8	..			
Rajkot	217	17	17.0	11	3	5	..	34	8.1	10			
Vcraval	50	17	17.7	2	10	10.4	5			
Surendranagar †																
Negpur	602	417	36.0	3	38	..	143	8	51	10	491	42.4	139			
Achalpur	39	20	26.7	7	1	..	1	19	25.3	6			
Akola	110	79	37.3	..	2	..	19	1	1	..	38	18.0	12			
Chanda	45	29	33.5	7	1	2	..	19	22.0	3			
Gondia †																
Hinganghat	37	23	32.3	7	13	18.3	5			
Khamgaon	47	42	46.5	4	..	1	..	9	10.0	5			
Wardha	51	53	54.0	6	..	5	..	13	13.3	3			
Ycotmal	45	39	45.1	6	2	3	..	17	19.6	..			
Kamptec	40	15	17.5	8	19	24.7	7			
Amravati	111	70	32.8	..	1	..	21	3	3	1	62	29.0	17			
Aurangabad	81	9	5.8	1			
Lathur	46	15	17.0	1	..	4	..	5	5.8	..			
Nanded †																
Perbhani	46	4	4.5	2	..	2	1	7	7.9	..			
Jalna†																
TOTAL	6,289	3,303	27.3	50	53	..	603	88	346	20	2,273	18.8	596			

w/c 7-6-58

Ahmedabad	970	634	34.0	..	1	..	26	11	72	..	305	16.4	91
Ahmednagar	108	65	31.3	3	3	24	11.6	..
Amalner	54	31	29.9	14	..	3	..	22	21.2	4
Baroda	266	166	32.5	21	2	16	..	77	15.1	25
Barsi	48	16	17.3	7	1	19	2.6	7
Bhusawal	73	40	28.5	4	6	4.3	2
Broach	68	51	39.0	4	..	3	1	10	7.6	2
Cambay	42	24	29.7	..	2	1	..	19	23.5	3
Chalisgaon	38	26	35.6	8	1	1	..	13	17.8	4
Dhulia	101	52	26.8	10	..	4	..	26	13.4	8
Godhra	41	32	40.6	4	..	1	..	9	11.4	2
Greater Bombay	4,117	35	14.3	..	9	..	4	32	139	5	667	8.4	154

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D. =Dysentery and Diarrhoea ; R.D. =Respiratory Diseases ; M.D. =Maternal Deaths =D.R. = Death Rate ; I.D. Infantile Deaths (included in total deaths) .. =Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid yr. Popn. Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Jalgaon	88	107	63·7	13	..	1	..	25	14·8	6	
Kalyan	93	37	20·7	3	1	2	..	10	5·6	2	
Kolhapur	181	85	24·4	2	2	3	..	33	9·5	6	
Malegaon	74	48	33·7	..	2	..	22	..	5	..	38	26·7	8	
Miraj	47	11	12·2	1	..	1	..	14	15·5	1	
Nadiad	78	55	36·7	17	..	2	..	24	16·0	3	
Nandurbar	38	21	28·7	3	1	8	10·9	2	
Nasik	151	74	25·5	10	2	2	1	41	14·1	10	
Narsari	52	18	18·0	2	9	9·0	2	
Pandharpur	47	28	31·0	5	3	2	..	17	18·8	10	
Patna	49	36	38·2	4	3	4	..	19	20·2	3	
Poona	717	321	23·3	7	26	..	106	7·7	34	
Sangli	66	36	28·4	..	1	..	5	3	2	..	19	15·0	2	
Satara	43	23	27·8	1	..	10	12·1	2	
Sholapur	325	197	31·3	9	4	27	1	82	13·1	19	
Surat	270	170	32·7	28	14	24	..	131	25·2	27	
Thana	73	31	22·1	1	1	11	7·8	1	
Bhavnagar	171	85	25·8	12	3	5	..	43	13·1	8	
Dhoraji	49	15	15·7	1	3	1	..	10	10·6	6	
Jamnagar †														
Junagarh	66	36	28·4	3	..	3	..	15	11·8	2	
Morvi	44	24	28·4	..	1	..	1	7	8·3	3	
Porbander	68	40	30·6	7	2	1	..	21	16·1	1	
Gondal	43	25	30·2	6	1	9	10·9	..	
Rajkot†														
Veraval	50	8	8·3	6	..	2	..	15	15·6	..	
Surendranagar	52	15	15·0	5	8	8·0	..	
Nagpur	602	367	31·7	..	29	..	127	10	64	4	520	44·9	130	
Achalpur	39	30	40·0	8	3	3	..	24	32·0	3	
Akola	110	46	21·7	17	3	4	..	43	20·3	9	
Chanda	45	27	31·2	3	..	1	..	16	18·5	6	
Gondia	56	19	17·6	..	1	..	12	..	1	..	17	15·8	3	
Hinganghat	37	22	30·9	9	15	21·1	4	
Khamgaon	47	32	35·4	6	11	12·2	2	
Wardha	51	35	35·7	3	..	3	..	8	8·2	4	
Ycotmal	45	17	19·6	3	12	13·9	..	
Kamptee	40	11	14·3	7	1	12	15·6	2	
Amravati	111	106	49·7	..	1	..	8	1	..	6	16	7·5	8	
Aurangabad	81	16	10·3	1	6	3·9	..	
Lathur	46	15	17·0	3	1	5	5·7	..	
Nanded	98	12	6·4	2	..	1	..	4	2·1	1	
Parbhani	46	5	5·7	1	..	1	..	3	3·4	..	
Jalna	80	6	3·9	
TOTAL	10,395	4,584	22·9	..	47	..	469	115	441	22	26,34	13·2	632	
w/o 14-6-58														
Ahmedabad	970	655	35·1	30	6	39	..	316	16·9	97	
Ahmednagar	108	61	29·4	2	1	4	..	16	7·3	..	
Amalner	54	39	37·6	17	..	1	..	26	25·0	3	
Baroda	266	181	35·4	29	1	12	..	73	14·3	17	
Barsi	48	31	33·6	8	..	1	..	20	21·7	4	
Bhusawal	73	36	25·6	11	1	18	12·8	3	
Broach	68	44	33·6	10	..	5	..	18	13·8	2	
Cambay	42	23	28·5	1	8	9·9	1	
Chalisgaon	38	28	38·1	5	1	11	15·1	2	
Dhulia	101	51	26·3	14	..	2	..	23	11·8	4	
Godhra	41	35	44·4	3	6	7·6	..	
Greater Bombay	4117	85	17·5	..	9	..	9	37	138	3	730	4·2	174	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.= Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.= Plague; F.= Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Deaths from :—

Towns	Mid Year Popn Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—contd.													
Jalgaon	88	29	17·1	5	..	2	..	9	5·3	3
Kalyan	93	36	20·1	1	..	1	1	11	6·2	2
Kolhapur	181	114	32·8	2	8	36	10·3	5
Malegaon	74	47	33·0	4	6	..	36	4	7	..	65	45·7	4
Miraj	47	36	39·8	1	1	1	..	27	29·9	2
Nadiad	78	41	27·3	..	1	..	16	..	2	..	28	18·7	8
Nandurbar	38	17	23·3	2	12	16·4	4
Nasik	151	97	33·4	7	..	2	..	28	9·6	..
Narsari	52	35	35·0	6	10	10·0	3
Pandharpur	47	31	34·3	4	2	4	..	19	21·0	10
Patna	49	49	52·0	7	4	5	..	25	26·5	3
Poona	717	235	17·0	..	1	12	24	1	113	8·1	33
Sangli	66	37	29·2	2	2	12	9·5	2
Satara	43	29	35·1	2	..	1	..	11	13·3	1
Sholapur	325	188	30·1	6	2	26	..	99	15·8	14
Surat	270	152	29·3	4	8	18	..	115	22·1	27
Thana	73	39	27·8	..	1	..	2	1	19	13·5	5
Bhavnagar	171	50	15·2	..	1	..	14	1	6	..	48	14·6	17
Dhoraji	49	22	23·3	3	2	1	..	9	9·5	3
Jamnagar†
Junagarh	66	44	34·7	7	..	1	1	16	12·6	4
Morvi	44	28	33·1	1	..	2	2·4	..
Porbander	68	34	26·0	9	3	2	..	20	15·3	7
Gondal	43	36	43·5	2	1	5	6·0	..
Rajkot	217	116	27·8	..	1	..	12	1	6	..	42	10·1	19
Veraval	50	6	6·2	3	..	1	1	9	9·4	3
Surendranagar	52	14	14·0	2	5	5·0	..
Nagpur	602	284	24·5	4	20	..	117	16	53	5	485	41·9	128
Achalpur	39	17	22·7	5	2	..	1	9	12·0	1
Akola	110	55	26·0	7	4	4	..	34	16·1	10
Chanda	45	31	35·8	7	..	5	..	18	20·8	4
Gondia	56	32	29·7	8	..	1	..	12	11·1	2
Hinganghat	37	24	33·7	5	..	1	..	11	15·5	3
Khamgaon	47	23	25·4	3	..	1	..	5	5·5	3
Wardha	51	25	25·5	2	..	1	..	6	6·1	1
Yeotmal	45	28	32·4	5	..	1	..	4	12·7	..
Kamptee	40	24	31·2	3	..	6	..	14	18·2	4
Amravati	111	80	37·5	..	2	..	9	1	1	1	26	12·2	6
Aurangabad	81	13	8·3
Lathur	46	11	12·4	2	..	3	3·4	..
Nanded	98	14	7·4	6	3·2	..
Parbhani	46	3	3·4	1	..	2	..	4	4·5	2
Jalna	80	32	20·8	4	..	4	..	14	9·1	3
TOTAL	10,612	4,827	23·7	8	42	..	487	122	415	14	2718	13·3	660

w/e 21-6-58

Ahmedabad	970	680	36·5	..	1	..	34	13	52	..	296	15·9	88
Ahmednagar	108	78	37·6	4	2	5	2	34	16·3	..
Amalner	54	34	32·7	5	..	3	..	13	12·5	..
Baroda	266	199	39·9	32	2	11	2	71	13·9	20
Barsi	48	36	37·0	7	17	18·4	4
Bhusawal	73	38	27·1	11	..	1	..	19	13·5	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—*contd.*

Towns	Mid-yr. popn.Est. (000)	B.	* B.R.	Deaths from								Total	D.R. *	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—Contd.														
Broach	68	47	35.9	16	..	5	..	15	11.5	2	
Cambay	42	36	44.6	..	1	2	2	..	18	22.3	4	
Chalisgaon	38	24	32.8	1	8	3	15	20.5	..	
Dhulia	101	61	31.4	1	5	2	3	..	14	7.2	3	
Godhra	41	50	63.4	..	1	..	4	..	1	..	10	12.7	..	
Greater Bombay	4117	567	7.2	..	4	..	3	22	63	2	499	6.3	137	
Jalgaon	88	36	17.7	4	1	1	..	15	8.9	3	
Kalyan	93	42	23.3	2	3	1	..	10	5.6	2	
Kolhapur	181	98	28.2	3	3	4	..	46	13.2	6	
Malegaon	74	45	31.6	1	15	3	2	..	29	20.4	5	
Miraj†														
Nadiad	78	61	40.7	13	..	1	..	20	13.3	5	
Nandurbar	38	25	34.2	2	1	1	..	12	16.4	2	
Nasik	151	72	24.8	11	1	1	..	43	14.8	..	
Narsari	52	37	37.0	4	8	8.0	2	
Pandharpur	47	30	33.2	3	2	4	..	17	18.8	6	
Patna	49	49	52.0	5	2	4	..	18	19.1	..	
Poona	717	299	21.7	1	9	34	1	117	8.5	32	
Sangli	66	25	19.7	4	1	1	..	13	10.2	3	
Satara	43	45	54.4	1	17	20.6	1	
Sholapur	325	213	34.1	2	1	30	..	87	13.9	12	
Surat	270	174	33.5	8	28	6	14	..	109	21.0	29	
Thana	73	44	31.3	3	17	12.1	4	
Bhavnagar	171	45	13.7	13	..	7	..	41	12.5	17	
Dhoraji	49	20	21.2	2	..	2	..	11	11.7	2	
Jamnagar†														
Junagarh	66	40	31.5	10	2	1	2	24	18.9	5	
Morvi	44	24	28.4	2	2.4	..	
Porbander	68	6	4.6	7	2	3	..	27	20.6	7	
Gondal	43	18	21.8	3	..	1	..	5	6.0	..	
Rajkot	217	63	15.1	..	1	..	24	4	3	..	46	11.0	18	
Veraval	50	4	4.2	2	..	1	..	8	8.3	1	
Surendranagar	52	6	6.0	5	6	6.0	..	
Nagpur	602	309	26.7	..	17	..	86	13	45	7	358	30.9	112	
Achalpur	39	25	33.3	6	1	1	..	10	13.3	2	
Akola	110	71	33.6	12	2	3	..	30	14.2	5	
Chanda	45	15	17.3	3	1	3	..	9	10.4	2	
Gondia	56	36	33.4	8	9	8.4	4	
Hinganghat	37	30	42.2	7	11	12.2	2	
Khamgaon	47	29	32.1	4	7	7.7	1	
Wardha	51	23	23.5	2	..	1	..	7	7.1	..	
Yeotmal	45	32	37.0	8	1	3	..	27	31.2	..	
Kamptee	40	19	24.7	5	..	2	..	15	19.5	4	
Amravati	111	110	51.5	..	1	..	5	2	..	2	15	7.0	3	
Aurangabad	81	8	5.1	4	2.6	..	
Lathur†														
Nanded	98	21	11.1	2	3	1.6	..	
Parbhani	46	3	3.4	1	..	1	..	3	3.4	1	
Jalna	80	5	3.3	2	..	2	1.3	..	
TOTAL	10,519	4,101	20.3	11	26	..	426	107	323	18	2,279	11.3	559	

w/e 28-6-58

Ahmedabad	970	663	35.5	..	2	..	25	7	49	..	308	16.5	90
Ahmednagar†													
Amalner	54	30	28.9	9	..	1	..	18	17.3	4
Baroda	266	184	36.0	19	3	14	..	76	14.8	18
Barsi	48	17	18.4	6	11	11.9	4
Bhusawal	73	28	19.9	8	..	1	..	21	15.0	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I. D.=Infantile deaths (included in total deaths) ; .. = Nil=Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th August, 1958—concl'd.

Towns	Mid-yr. popn. Est. (000)	B.	B.R.*	Deaths from									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bombay—Contd.															
Broach	68	67	51.2	2	..	5	..	11	8.4	..		
Cambay	42	39	48.3	1	..	1	..	22	27.2	5		
Chalisgaon	38	27	36.9	5	8	10.9	4		
Dhulia	101	39	20.1	4	9	..	4	..	21	16.8	3		
Godhra	41	25	31.7	5	6	7.6	1		
Greater Bombay	4117	1542	19.5	..	10	..	9	48	111	2	813	10.3	212		
Jalgaon	88	28	16.5	6	..	3	..	16	9.5	4		
Kalyan	93	45	25.2	2	1	9	5.0	..		
Kolhapur	181	98	28.2	1	1	7	..	21	6.0	3		
Malegaon	74	46	32.3	17	..	4	..	29	20.4	5		
Miraj	47	29	32.1	3	2	3	..	13	14.4	4		
Nadiad	78	58	38.7	12	20	13.3	7		
Nandurbar	38	19	26.0	1	..	6	8.2	2		
Nasik	151	77	26.5	5	..	2	..	29	10.0	7		
Narsari	52	30	30.0	3	5	5.0	2		
Pandharpur	47	24	26.6	4	2	9	..	20	22.2	2		
Patan	49	29	30.8	1	2	4	..	8	8.5	2		
Poona	717	338	24.5	8	8	16	2	106	7.7	25		
Sangli	66	37	29.7	..	1	..	2	2	2	..	17	13.4	3		
Satara	43	27	32.7	1	..	1	1	8	9.7	..		
Sholapur	325	157	25.1	5	2	20	..	66	10.6	16		
Surat	270	127	24.5	22	2	25	..	105	20.2	30		
Thana	73	45	32.1	3	1	15	10.7	3		
Bhavnagar	171	114	34.7	18	4	7	..	54	16.4	13		
Dhoraji	49	21	22.3	1	2	1	..	10	10.6	2		
Jamnagar†		
Junagarh	66	30	23.6	7	4	2	..	32	25.1	11		
Morvi	44	10	11.8	..	1	2	2.4	..		
Porbander	68	20	15.3	10	3	2	1	25	19.1	1		
Gondal	43	15	18.1	2	1	1	..	7	8.5	..		
Rajkot	217	118	28.3	..	1	..	14	2	8	..	61	14.6	16		
Veraval	50	8	8.3	1	..	1	1	6	6.2	1		
Surendranagar	52	14	14.0	4	7	7.0	..		
Nagpur	602	180	15.5	4	10	..	36	4	19	2	187	16.2	53		
Achalpur	39	27	36.0	3	..	3	..	12	16.0	4		
Akola	110	92	43.5	14	2	2	..	28	13.2	6		
Chanda	45	38	34.9	1	..	5	..	17	19.6	4		
Gondia	56	35	3.3	3	3	2.8	3		
Hinganghat	37	28	39.4	4	9	12.6	2		
Khamgaon	47	31	34.3	3	5	5.5	2		
Wardha	51	78	79.5	11	2	9	..	55	56.1	4		
Yeotmal	45	29	33.5	2	1	9	10.4	..		
Kamptec	40	24	31.2	1	..	7	9.1	4		
Amravati	111	56	26.2	..	2	..	6	3	29	13.6	5		
Aurangabad	81	7	4.5	2	..	3	1.9	..		
Lathur	46		
Nanded	98	22	11.7	2	1.1	..		
Parbhani	46	4	4.6	2	4	4.5	..		
Jalna	80	4	2.6	1	..	3	2.0	..		
TOTAL	10,504	4,882	24.2	8	27	..	335	106	347	12	2,385	11.8	591		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil. Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 9th August, 1958 relate to 139 towns from the States of Assam, Bihar, Kerala, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan & Uttar Pradesh with a population coverage of 18,486 thousands out of a total population of 46,461 in 320 towns of the country. The number of births and deaths recorded in these towns were 10,589 and 4,310 registering birth and death rates

of 29.8 and 12.1 per thousand of population respectively.

The towns of Quilon in the Kerala State, Puri in Orissa State, and Chandausi in the Uttar Pradesh recorded high death rate of 39.3, 46.4 and 32.0 per thousand of population respectively. The following table gives the registered rates for different States:—

States	Current w/c 9-8-58		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Assam	8.6	8.3	11.7	8.0
Bihar	11.9	6.4	10.9	9.7
Kerala	37.8	11.9	41.1	16.9
Madras	32.1	13.7	30.8	14.1
Mysore	26.0	9.9	21.4	10.1
Orissa	35.6	22.3	42.9	33.8
Pondicherry	67.2	13.7	†	†
Punjab	36.3	9.9	36.4	9.0
Rajasthan	17.5	6.3	†	†
Uttar Pradesh	32.1	14.4	27.7	13.8
India	29.8	12.1	29.9	13.9

NEW DELHI-2 (INDIA) ;

The 1st September, 1958.

H. R. SHARMA,

for Registrar General, India.

N.B. † Figures not available.